


# ELISA COLLECTION

SKU: ELISA-COLLECTION



**QUOTE:**  
**PROJECT:**  
**TYPE:**

The Elisa Collection of Wall Lights are an elegant choice for providing subtle illumination in stairways, corridors and internal walkways. Choose from an aluminum or white finish and a square or rounded light source opening.

## Features & Benefits

- Square CNC aluminium wall light
- Sturdy clips for recess mounting
- Round or Square Slot Available: 45°
- Aluminum or White finish
- CCT: 3000K
- Beam angle: 45°
- Lumen output: 90lm
- Requires 350mA constant current driver (not included)
- Dimmable with compatible dimming driver and controller

PRODUCT IMAGE



## ELISA COLLECTION

SKU: ELISA-COLLECTION

PRODUCT IMAGES & DIMENSIONS



GWL320RALU3K



GWL320RWH3K



GWL320SQALU3K



GWL320SQWH3K

## ELISA COLLECTION

SKU: ELISA-COLLECTION

### SPECIFICATIONS

| SKU                        | GWL320RALU3K       | GWL320RWH3K             | GWL320SQALU3K      | GWL320SQWH3K            |
|----------------------------|--------------------|-------------------------|--------------------|-------------------------|
| <b>Luminaire efficacy</b>  | 90 lm/W            | 90 lm/W                 | 90 lm/W            | 90 lm/W                 |
| <b>Light Colour</b>        | Warm White         | Warm White              | Warm White         | Warm White              |
| <b>Wattage</b>             | 1 W                | 1 W                     | 1 W                | 1 W                     |
| <b>Lumen output</b>        | 90 lm              | 90 lm                   | 90 lm              | 90 lm                   |
| <b>Beam Angle</b>          | 45 Degrees         | 45 Degrees              | 45 Degrees         | 45 Degrees              |
| <b>Trim colour</b>         | Silver Round       | White Round             | Silver Square      | White Square            |
| <b>Cut out</b>             | 42 mm              | 42 mm                   | 44 mm              | 44 mm                   |
| <b>Length</b>              | 50 mm              | 50 mm                   | 50 mm              | 50 mm                   |
| <b>Width</b>               | 50 mm              | 50 mm                   | 50 mm              | 50 mm                   |
| <b>Lifespan</b>            | 50000 Hours        | 50000 Hours             | 50000 Hours        | 50000 Hours             |
| <b>Warranty</b>            | 3 Years            | 3 Years                 | 3 Years            | 3 Years                 |
| <b>Dimmable</b>            | Dimmable           | Dimmable                | Dimmable           | Dimmable                |
| <b>LED source</b>          | SMD                | SMD                     | SMD                | SMD                     |
| <b>Material</b>            | Die Cast Aluminium | Powder Coated Aluminium | Die Cast Aluminium | Powder Coated Aluminium |
| <b>Lamp Type</b>           | LED                | LED                     | LED                | LED                     |
| <b>Working temperature</b> | 20° 40C°           | 20° 40C°                | 20° 40C°           | 20° 40C°                |
| <b>Depth</b>               | 45                 | 45                      | 25                 | 25                      |
| <b>Kelvin</b>              | 3000K              | 3000K                   | 3000K              | 3000K                   |

