



Recessed Aluminium Profiles

VB-RALP-SERIES

LET'S BRING YOUR CREATIVE VISION TO LIFE

Elevate your lighting design with our premium recessed aluminium profiles—crafted for seamless, continuous linear lighting in ceilings, walls, and cabinetry. Constructed from high-quality 6063-T5 aircraft-grade aluminium, these profiles ensure superior durability and heat dissipation—prolonging the lifespan of your LED strip lighting while delivering a clean, modern finish. Fitted with environmentally friendly PMMA/PC opal diffusers, they produce a soft, uniform light output that enhances architectural aesthetics.

Available in standard lengths of 1M, 2M, 2.5M, and 3M, with custom sizes available on request. Finished in anodised aluminium as standard, with select models offered in black or white. Custom finishes can also be arranged—lead times may apply.

Pair with VIBE's extensive selection of LED strip lights—available in a variety of wattages, light outputs, and colour temperatures—to create the perfect lighting solution for your project.

Key Features

- **Versatile Installation:** Suitable for a wide range of applications including under cabinetry, ceilings and walls—ideal for achieving a refined architectural look.
- **Seamless Linear Lighting:** Designed for smooth, continuous light output with a clean, modern finish.
- **Enhanced LED Performance:** Effectively dissipates heat, helping to extend the lifespan and performance of your LED strip lights.
- **Flexible Length Options:** Most profiles are available in standard 1M, 2M, 2.5M and 3M lengths, with custom sizes available upon request.
- **High-Quality Diffuser:** Features a durable PC/PMMA opal diffuser for soft and even light distribution.
- **Stylish Finish Options:** Supplied in anodised aluminium as standard. Select models available in black and white, with custom colours available on request.


**Please note: Accessories are sold separately.*





Recessed Aluminium Profiles




VB-RALP-SERIES



VB-ALP001

Applicable max power: <15W/M

Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised
 Black
 White


Accessories:



2 x End Cap




Black Diffuser



VB-ALP117

Applicable max power: <12W/M


Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised

Accessories:




2 x End Cap




VB-ALP118-2.5M

Applicable max power: <12W/M


Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised

Accessories:




2 x End Cap



VB-ALP003

Applicable max power: <15W/M

Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised
 Black


Accessories:



2 x End Cap





Black Diffuser



VB-ALP017

Applicable max power: <25W/M

Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised
 White


Accessories:



2 x End Cap




Recessed
Mounting Clip



VB-ALP045

Applicable max power: <35W/M


Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised

Accessories:



2 x End Cap




Recessed
Mounting Clip



Recessed Aluminium Profiles



VB-RALP-SERIES



VB-ALP047

Applicable max power: <35W/M

Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised
 White



Accessories:



2 x End Cap




Recessed Mounting Clip



VB-ALP12575

Applicable max power: <55W/M

Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised

Accessories:





2 x End Cap



Inner Clip




Recessed Mounting Clip



VB-ALP5075R

Applicable max power: <55W/M

Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised

Accessories:




2 x End Cap



Inner Clip




Recessed Mounting Clip



VB-ALP079 - Plaster Recessed

Applicable max power: <15W/M


Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised

Accessories:





2 x End Cap



VB-ALP080 - Plaster Recessed

Applicable max power: <25W/M


Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised
 White

Accessories:




2 x End Cap



VB-ALP081 - Plaster Recessed

Applicable max power: <30W/M

Length: 1M/2M/2.5M/3M

Standard Finish*:  Anodised

Accessories:



2 x End Cap

Recessed Aluminium Profiles

VB-RALP-SERIES




Available in a variety of depths, widths, lengths, and styles to suit any lighting design. Whether you're aiming for a slim, low-profile look or need deeper channels for higher output, there's a profile to match. Choose from standard lengths like 1M, 2M, 2.5M and 3M, or request custom sizes to suit your project. Perfect for achieving a clean, integrated finish in ceilings, walls, and cabinetry.

Easily paired with VIBE's extensive range of 24V LED Strip Lights, these profiles offer a seamless solution for professional, custom lighting installations.

BROWSE OUR FULL RANGE OF 24V LED STRIP LIGHTS, NEON FLEX, LED DRIVERS & CONTROLLERS


CLICK
BELOW 



VBLST-24V-SERIES
LED Strip Lights



VBLST-24V-RGB-SERIES
RGB LED Strip Lights



NEON-FLEX-SERIES
LED Neon Flex



VBLST-24V-COB-SERIES
COB LED Strip Lights



VBLD-24V-SERIE
Constant Voltage
LED Drivers



VBLST-CTRL-SERIES
LED Controllers



VIBE LIGHTING
quality · innovation · value

vibelighting.com.au | sales@vibelighting.com.au