



BLACK ALU PROFILE W INNER TRAY OPAL MATTE DIF 2M/PC

VB-ALP5075-2M-BLK



Vibe's Series of Aluminium Profiles use high quality 6063-T5 aircraft Aluminium and environmentally friendly PMMA (polymethyl methacrylate) or PC (polycarbonate) covers, producing an elegant appearance with excellent heat dissipation. Please note: Required end caps, mounting clips and LED Strip Lighting sold separately under code VB-ALP-ACC & VBLST.

Features & Benefits

- Applicable Max Power: <44W/M
- Surface mounted extrusions are the perfect answer when the design doesn't allow or doesn't warrant a recessed profile & in many cases you will find a recessed profile has a surface mount "twin brother" in both size & shape.
- Suspended Extrusions look great over any kitchen bench, reception desk or bar top etc and make any retail shop display look stylish and modern.
- Prolong the life of your LED strip lights by dissipating the heat generated during operation
- Perfect for seamless continuous linear lighting
- Most (not all) are supplied in 1m, 2m & 3m lengths & can also be customised upon request.
- PC/PMMA Opal Diffuser All available as standard Anodised Aluminium colour



| * Some models/sizes available in Black & White ** Custom colour also available on request | |
|---|------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | www.anllighting.com.au |

BLACK ALU PROFILE W INNER TRAY OPAL MATTE DIF 2M/PC

VB-ALP5075-2M-BLK

Specifications

| SKU | VB-ALP5075-2M-BLK |
|---------------|---|
| EAN | 9340994022925 |
| IP rating | 20 |
| Trim colour | Black |
| Length | 2000 mm |
| Width | 50 mm |
| Height | 75 mm |
| Warranty | 3 Years |
| Mounting type | Surface, Suspended |
| Material | Aluminum |
| Accessories | 2x End Caps, Inner Clips, Metal Mounting Clip, Safety Cord, Black Diffuser, Blanking Plate, 90 Connector, 180 Connector, Suspension Kit |
| Diffuser | Opal |
| Weatherproof | Non-weatherproof |



Dimensional Drawings



Photometric information available upon request.

