



## 302 Series


### VBLBO-302-4-40



These VIBE, 12W, 4000K, LED Bollards are a great outside lighting design feature. With an IK10 impact rating, this fitting is as great option for any areas prone to vandalism. The capped, peaked interior provides soft circular lighting around the unit, ideal for subtle illumination of paths and gardens, additionally to providing illumination for after dark safety. Vibe 300 Series Bollard Lights are made of die-cast aluminium and carry a weatherproof rating of IP54, a lifespan of 50,000 hours and a 3 year warranty. Please note: All VIBE LED Bollards are recommended to be mounted securely to a plinth/concrete base and not covered by any organic materials (dirt/mulch/sand ect) to avoid condensation entering and subsequently corroding the fitting. Not following this installation recommendation will void any stated warranty.

### Features & Benefits

- Tough die-cast Aluminium Body
- Anodised Aluminium reflector with clear PC diffuser
- Black powder coated finish
- 270° wide light beam angle
- Equipped with CREE LED chips
- Static moulding powder coating with UV resistance
- Supplied with rag bolt and template
- IP65 rated
- IK10 rated for impact resistance
- 50,000 hour life span




- 3 year warranty

## Specifications

<b>SKU</b>	VBLBO-302-4-40
<b>Luminaire efficacy</b>	46
<b>EAN</b>	9340994028798
<b>Light Colour</b>	Cool White
<b>Wattage</b>	12
<b>Lumen output</b>	550
<b>IP rating</b>	65
<b>IK Rating</b>	10
<b>CRI</b>	80
<b>Beam Angle</b>	270
<b>Trim colour</b>	Black
<b>Diameter</b>	200
<b>Height</b>	1000
<b>Lifespan</b>	50000
<b>Warranty</b>	3
<b>Shatterproof</b>	Shatterproof
<b>LED source</b>	CREE
<b>Material</b>	Die-Cast Aluminium
<b>Lamp Type</b>	LED
<b>Input voltage</b>	220V-265V AC 50hz
<b>Wiring method</b>	Hardwire
<b>Weatherproof</b>	Weatherproof
<b>Working temperature</b>	-20°C ~ 45°C
<b>Box Qty</b>	1
<b>Kelvin</b>	4000K



## Dimensional Drawings



Photometric information available upon request.