



LED FLOODLIGHT 400/320/240W SWITCHABLE 4K RA80 0-10V 20KV SURGE PROTECTION

VBLFL-400W-4-4KPA



The VIBE VBLFL-400W-4-4KPA is a high-performance, wattage-selectable LED floodlight designed for versatility and durability in demanding environments. With adjustable power settings (400W/320W/240W), 30KV surge protection, and 4000K cool white output, this IP65-rated luminaire ensures reliable illumination across a variety of commercial and industrial applications. Built with robust aluminium housing and 4mm tempered glass, it offers excellent light transmittance, a 50,000-hour lifespan, and a 5-year warranty—making it a dependable solution for long-term outdoor lighting needs

Features & Benefits

- Advanced input under/over voltage protection for improved reliability
- 4mm tempered glass, high light transmittance
- Breather valve allows to adjust the floodlights capacity pressure to avoid the formation of water vapour inside the fitting
- Wattage selectable via switch
- Comes complete with 1.5M flex & plug
- IP65 rated
- 50,000 hour lifespan



- 5 year warranty

LED FLOODLIGHT 400/320/240W SWITCHABLE 4K RA80 0-10V 20KV SURGE PROTECTION


VBLFL-400W-4-4KPA

Specifications

SKU	VBLFL-400W-4-4KPA
Luminaire efficacy	145 lm/W
EAN	9340994035611
Weight	6.6
Light Colour	Cool White
Wattage	400/320/240W W
Lumen output	58000/46400/34800LM lm
IP rating	65
IK Rating	8
CRI	80
Beam Angle	90 Degrees
Trim colour	Black
Length	371 mm
Width	176 mm
Height	500 mm
Lifespan	50000 Hours
Warranty	5 Years
Dimmable	Dimmable
Mounting type	Surface
LED source	SMD
Material	Aluminium
Lamp Type	LED
Dimming	0-10V
Input voltage	220-240V AC 50Hz
Wiring method	Flex & Plug or Hardwire
Weatherproof	Weatherproof
Working temperature	-20°C ~ 45°C
Box Qty	1
Kelvin	4000K
Power Adjustable	Yes



Dimensional Drawings



Photometric information available upon request.